

|                 |                                                                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Products</b> | Aquilon RS alpha, Aquilon RS1, Aquilon RS2, Aquilon RS3, Aquilon RS4, Aquilon RS5, Aquilon RS6, Aquilon Cmini, Aquilon C, Aquilon C+, Aquilon Cmax |
| <b>Date</b>     | April 10 <sup>th</sup> , 2026                                                                                                                      |
| <b>Version</b>  | 4.0.0                                                                                                                                              |

*The version (s) indicated here above has (have) been tested and validated by the QA Department.*

.....

## Technical Notes:

---

### Changes:

- Added support for LivePremier's new AWJ protocol (firmware v4.0.254 and above)

### Requirements

- Any Analog Way LivePremier™ live presentation switcher (Aquilon RS alpha, Aquilon RS1, Aquilon RS2, Aquilon RS3, Aquilon RS4, Aquilon RS5, Aquilon RS6, Aquilon Cmini, Aquilon C, Aquilon C+ and Aquilon Cmax) with firmware 4.0.254 or higher
- Any AMX NetLinx® control systems with Ethernet connection
- Any AMX compliant display

# PREVIOUS VERSIONS

|                 |                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------|
| <b>Products</b> | Aquilon RS alpha, Aquilon RS1, Aquilon RS2, Aquilon RS3, Aquilon RS4, Aquilon C, Aquilon C+ |
| <b>Date</b>     | January 4 <sup>th</sup> , 2021                                                              |
| <b>Version</b>  | 1.00                                                                                        |

*The version (s) indicated here above has (have) been tested and validated by the QA Department.*

.....

## Technical Notes:

---

### Initial release (for LivePremier 2.00.x or higher):

- Recall a Screen memory to Program or to Preview screen destination
- Recall a Master memory to Program or to Preview
- Transitioning the Preview content to the Program
- Control device (reboot, shutdown, sleep or wake over LAN)

### Requirements

- Any Analog Way LivePremier™ live presentation switcher (Aquilon RS alpha, Aquilon RS1, Aquilon RS2, Aquilon RS3, Aquilon RS4, Aquilon C and Aquilon C+) with firmware v2.00.x or higher
- Any AMX NetLinx® control systems with Ethernet connection
- Any AMX compliant display